

Data Imports

Generic CSV Imports



Documentation

As of now, you can use generic imports to import contacts (both persons and organizations) as well as tasks, comments, and notes.

Guidelines

- Always start the import with a few records (10-20 samples). This approach makes it easier to adjust the format and redo the import if necessary.
- Each file must be mapped to a single entity type: person, organization, task, comment, or note.
- It is crucial that files with links between them are configured in the same Laylah import.
- Make sure that date formats are respected; otherwise, the import will fail.
- We strongly suggest that you use our Excel templates without modifying the column headings, to simplify the task.
- Don't forget to convert the template to comma-separated CSV format before importing.
- You can run imports multiple times without any risk of duplication.
- It is possible to delete a file imported into the configuration but this does not delete the data in Laylah.
- If the import configuration is deleted, all data imported by that configuration will be deleted.

We are continuously adding supported fields, so please let us know if you need anything!

Supported Entities

Persons

| Column | Format | Description |
|---------------------|--|--|
| id | Text | Must be unique for each row. |
| first_name | Text | Contact first name. |
| last_name | Text | Contact last name. |
| middle_name | Text | Middle Name |
| status | client, prospect, other | Contact status. |
| birthdate* | Date | Suggested format: YYYY-MM-DD. |
| gender | male, female | Contact gender. Use only a value from this list (all in small caps). |
| file | Text | Contact file unique number. |
| personal_email | Text | Personal email. |
| work_email | Text | Work email. |
| personal_phone | Text | Personal phone. |
| work_phone | Text | Work phone. |
| home_address | Text | Home address. |
| work_address | Text | Work address. |
| other_address | Text | Other address. |
| tags | List[Text] | List of labels to assign to contact. Values must be separated by ";" |
| assignees | Text | Assignees Names for this contact. Values must be separated by ";" |
| pin | Text | This value will add a pinned note to the created contact. |
| relationship_status | single,divorced,engaged, in_a_relationship,in_civil_ union,in_domestic_partn ership,its_complicated,m arried,separated,widowe d,unknown | Contact relationship status. Use only a value from this list (all in small caps). |
| occupation | Text | Biography occupation |
| job_title | Text | Current job title |
| employer | Text | Current employer |
| annual_income | Numeric | Must be a numeric value without any dollar signs. |
| ssn | Text | Contact social security number |

| driver_license Text | Contact driving license number |
|---------------------|--------------------------------|
|---------------------|--------------------------------|

Organizations

| Column | Format | Description |
|-------------|-------------------------|--|
| id | Text | Must be unique for each row. |
| name | Text | Organization name. |
| legal_name | Text | Organization legal name. |
| description | Text | Organization description. |
| status | client, prospect, other | Contact status. Use only a value from this list (all in small caps). |
| email | Text | Primary location email address. |
| phone | Text | Primary location phone number. |
| address | Text | Primary location physical address. |
| tags | List[Text] | List of labels to assign to contact. Values must be separated by ";" |
| assignees | Text | Assignees Names for this contact. Values must be separated by ";" |
| pin | Text | This value will add a pinned note to the created contact. |

Tasks

| Column | Format | Description |
|------------------|------------------------|--|
| id | Text | Must be unique for each row. |
| summary | Text | Task summary. |
| description | Text (plain text only) | Task description |
| status | Picklist Value | Task status. Value must match configured tasks statuses in Laylah. |
| priority | Picklist Value | Task priority. Value must match configured tasks priorities in Laylah. |
| type | Picklist Value | Task type. Value must match configured tasks types in Laylah. |
| created_at | DateTime* | Task creation timestamp. |
| completed_at | DateTime* | Task completed timestamp. |
| due_at | Date | Suggested format: YYYY-MM-DD. |
| assignees | List[Text] | Assignees Names for this task. |
| person_ids | List[Text] | List of ids that refer to person ids. Files must be in the same import for the link to work. Values must be separated by ; |
| organization_ids | List[Text] | List of ids that refer to organization ids. Files must be in the same import for the link to work. Values must be separated by ; |

Comments

| Column | Format | Description |
|-----------------|------------------------|--|
| id | Text | Must be unique for each row. |
| content | Text (plain text only) | Comment description |
| created_at | DateTime* | Comment creation timestamp. |
| updated_at | DateTime* | Comment updated timestamp. |
| person_id | Text | Link to a person. Files must be in the same import for the link to work. |
| organization_id | Text | Link to an organization Files must be in the same import for the link to work. |

Notes

| Column | Format | Description |
|-----------------|------------------------|--|
| id | Text | Must be unique for each row. |
| content | Text (plain text only) | Note description |
| created_at | DateTime* | Note creation timestamp. |
| person_id | Text | Link to a person. Files must be in the same import for the link to work. |
| organization_id | Text | Link to an organization Files must be in the same import for the link to work. |

Investments

The investment rows will be grouped by **account_number**. The first record in the group will be used to populate the account fields and then all securities are added to this account (one security for each row).

| Column | Format | Description |
|--------------------------|--|--|
| id | Text | Must be unique for each row. |
| account_number | Text | |
| account_description | Text | |
| account_name | Text | |
| account_status | active,suspended,liquidat e_only,closed,unknown | Use only a value from this list (all in small caps). |
| account_type | cash, dpsp, fhsa, fresp, ipp, lif, lira, lrif, lrrsp, margin, non_registered, other, prif, rdsp, resp, rif, rrif, rrsp, srif, srrsp, tfsa, unknown | Use only a value from this list (all in small caps). |
| account_start_date | Date | Suggested format : YYYY-MM-DD. |
| account_end_date | Date | Suggested format : YYYY-MM-DD. |
| account_under_management | true, false | Use only a value from this list (all in small caps). |
| account_value | Numeric | |
| account_book_value | Numeric | |
| account_maturity_date | Date | Suggested format : YYYY-MM-DD. |
| account_institution | Text | |
| account_owners | List[Text] | List of person names. Values must be separated by ; |
| security_name | Text | |
| security_type | stock, option, bond, right, gold, index, mutual_fund, gic | Use only a value from this list (all in small caps). |

| security_fund | Text | |
|--------------------------------|-------------|--|
| security_gic_code | Text | |
| security_gic_name | Text | |
| security_certificate | Text | |
| security_term | Text | |
| security_rate | Numeric | |
| security_start_date | Date | Suggested format : YYYY-MM-DD. |
| security_end_date | Date | Suggested format : YYYY-MM-DD. |
| security_end_value | Numeric | |
| security_redeemable | true, false | Use only a value from this list (all in small caps). |
| security_cusip | Text | |
| security_isin | Text | |
| security_sedol | Text | |
| security_symbol | Text | |
| security_position_date | Date | Suggested format : YYYY-MM-DD. |
| security_position_quantity | Numeric | |
| security_position_book_value | Numeric | |
| security_position_market_value | Numeric | |
| Person_ids | List[Text] | List of ids that refer to person ids. Files must be in the same import for the link to work. Values must be separated by; |
| organization_ids | List[Text] | List of ids that refer to organization ids. Files must be in the same import for the link to work. Values must be separated by ; |

Insurances

Insurance lines will be grouped by **policy_number**. The first record in the group will be used to populate the policy fields, then all coverages are added to this policy (one security for each line).

| Column | Format | Description |
|-------------------------|---|--|
| id | Text | Must be unique for each row. |
| policy_number | Text | |
| policy_plan_name | Text | |
| policy_description | Text | |
| policy_status | annuitized, applied_for, approved, canceled, candidate, cash_value_paid, claim_pending, conversion_pending, converted, death_claim_pending, declined, dormant, exercised, expired, extended_term, fully_paid_up, grace_period, in_force, inactive, incomplete, invalid, issued, lapse_pending, lapsed, matured, other, paid, paid_up, pending, postponed, proposed, quoted, reduced_paid_up, refused, reinstated, reissue, rescinded, surrendered, suspend, terminated, under_disability, unknown, vested | Use only a value from this list (all in small caps). |
| policy_type | annuity, critical_illness, disability, health, life, long_term_care, medicare_supplement, property_and_casualty, unknown, other | Use only a value from this list (all in small caps). |
| policy_sub_type | term, whole, universal, guaranteed, non_guaranteed, other | Use only a value from this list (all in small caps). |
| policy_under_management | true, false | Use only a value from this list (all in small caps). |
| policy_issue_date | Date | Suggested format : YYYY-MM-DD. |
| policy_effective_date | Date | Suggested format : YYYY-MM-DD. |
| policy_renewal_date | Date | Suggested format : YYYY-MM-DD. |

| policy_termination_date | Date | Suggested format: YYYY-MM-DD. |
|-------------------------|--|--|
| policy_institution | Text | |
| policy_face_amount | Numeric | |
| policy_cash_value | Numeric | |
| policy_surrender_value | Numeric | |
| policy_insureds | List[Text] | List of person names. Values must be separated by; |
| policy_owners | List[Text] | List of person names. Values must be separated by; |
| policy_beneficiaries | List[Text] | List of person names. Values must be separated by; |
| coverage_order | Numeric | |
| coverage_plan_name | Text | |
| coverage_description | Text | |
| coverage_type | annuity, critical_illness, disability, health, life, long_term_care, medicare_supplement, property_and_casualty, unknown, other | Use only a value from this list (all in small caps). |
| coverage_sub_type | term, whole, universal, guaranteed, non_guaranteed, other | Use only a value from this list (all in small caps). |
| coverage_status | annuitized, applied_for, approved, canceled, candidate, cash_value_paid, claim_pending, conversion_pending, converted, death_claim_pending, declined, dormant, exercised, expired, extended_term, fully_paid_up, grace_period, in_force, invalid, issued, lapse_pending, lapsed, matured, other, paid_up, postponed, proposed, quoted, reduced_paid_up, refused, reissue, rescinded, surrendered, suspend, terminated, under_disability, unknown, vested | Use only a value from this list (all in small caps). |
| coverage_amount | Numeric | |

| coverage_issue_date | Date | Suggested format : YYYY-MM-DD. |
|---------------------------|------------|--|
| coverage_renewal_date | Date | Suggested format : YYYY-MM-DD. |
| coverage_termination_date | Date | Suggested format : YYYY-MM-DD. |
| coverage_insureds | List[Text] | List of person names. Values must be separated by; |
| Person_ids | List[Text] | List of ids that refer to person ids. Files must be in the same import for the link to work. Values must be separated by; |
| organization_ids | List[Text] | List of ids that refer to organization ids. Files must be in the same import for the link to work. Values must be separated by ; |

Datetime formats

| Format | Description |
|------------------------------------|---|
| 2006-01-02T15:04:05Z07:00 | RFC3339 <u>Exemples</u> : "2025-12-25T16:32:59-05:00" (UTC-5, omit the Z) "2025-12-25T16:32:59Z" (UTC, include the Z and omit the rest) |
| 2006-01-02T15:04:05.99999999207:00 | RFC3339 with nanoseconds |
| 02 Jan 06 15:04 MST | RFC822 |
| 02 Jan 06 15:04 -0700 | RFC822 with timezone |
| Monday, 02-Jan-06 15:04:05 MST | RFC850 |
| Mon, 02 Jan 2006 15:04:05 MST | RFC1123 |
| Mon, 02 Jan 2006 15:04:05 -0700 | RFC1123 with timezone, will be interpreted in UTC. |

^{*02} refers to the day, 01 refers to the month & 06 refers to the year in the samples above.

Date formats

| Format | Description |
|-------------------------------------|---|
| 2006-01-02 | - |
| 2006/01/02 | - |
| 02/01/2006 | - |
| 02 Jan 06 | - |
| 02 Jan 2006 | - |
| 02 January 06 | - |
| 02 January 2006 | - |
| 2006-01-02T15:04:05Z07:00 | RFC3339 (time value will be ignored) |
| 2006-01-02T15:04:05.999999999707:00 | RFC3339 with nanoseconds (time value will be ignored) |
| 02 Jan 06 15:04 MST | RFC822 (time value will be ignored) |
| 02 Jan 06 15:04 -0700 | RFC822 with timezone (time value will be ignored) |
| Monday, 02-Jan-06 15:04:05 MST | RFC850 (time value will be ignored) |
| Mon, 02 Jan 2006 15:04:05 MST | RFC1123 (time value will be ignored) |
| Mon, 02 Jan 2006 15:04:05 -0700 | RFC1123 with timezone (time value will be ignored) |

^{*02} refers to the day, 01 refers to the month & 06 refers to the year in the samples above.